


RDX EXT 114x1000-T5.0 EXTENSION



Load Capacity	N/A*
Overall Length	1000 mm Net: 820 mm
Weight	12.5 kg (±8%)
Materials	Tube • 114 x 5.0 x 1000 mm • Grade S235
Coupling	2 no. M24x130 Bolts/Nuts
Surface	Hot-dip Galvanised Steel, according to BS EN ISO 1461:2009




Subject to technical change.

* RADIX Screw Piles must be selected based on static calculations and results of site-specific ground testing. The manufacturer is not liable for damage caused by insufficient or incorrect selection of screw piles.

RDX EXT 114x1500-T5.0 EXTENSION



Load Capacity	N/A*
Overall Length	1500 mm Net: 1320 mm
Weight	19 kg (±8%)
Materials	Tube <ul style="list-style-type: none"> • 114 x 5.0 x 1500 mm • Grade S235
Coupling	2 no. M24x130 Bolts/Nuts
Surface	Hot-dip Galvanised Steel, according to BS EN ISO 1461:2009




Subject to technical change.

* RADIX Screw Piles must be selected based on static calculations and results of site-specific ground testing. The manufacturer is not liable for damage caused by insufficient or incorrect selection of screw piles.

RDX EXT 114x2000-T5.0 EXTENSION



Load Capacity	N/A*
Overall Length	2000 mm Net: 1820 mm
Weight	25 kg (±8%)
Materials	Tube • 114 x 5.0 x 2000 mm • Grade S235
Coupling	2 no. M24x130 Bolts/Nuts
Surface	Hot-dip Galvanised Steel, according to BS EN ISO 1461:2009



Subject to technical change.

* RADIX Screw Piles must be selected based on static calculations and results of site-specific ground testing. The manufacturer is not liable for damage caused by insufficient or incorrect selection of screw piles.